



Office for Health  
Improvement  
& Disparities

# **National Drug Treatment Monitoring System (NDTMS)**

**Technical definitions (dataset Q)**

V16.3

# Contents

1. Introduction .....	3
2. NDTMS datasets .....	5
3. Data entities .....	6
4. Extraction criteria for no consent records .....	7
5. NDTMS dataset fields .....	8
1. Client details .....	8
2. Episode details .....	9
3. Treatment intervention details .....	16
4. Sub intervention review (SIR) details.....	17
5. Outcomes profile – TOP/YPOR .....	25
6. Client information review (CIR) .....	31
Key .....	34
6. Verification rules.....	35
7. NDTMS dataset – date sequences.....	40
NDTMS community date verification rule matrix.....	40
NDTMS secure setting date verification rules matrix .....	41
Implementation of core dataset changes .....	42
AD dataset.....	42
YP dataset.....	43
SA dataset.....	44
SY dataset.....	45
8. Revision history .....	47

# 1. Introduction

We are the Office for Health Improvement and Disparities (OHID) in the Department of Health and Social Care. We have a database called the National Drug Treatment Monitoring System (NDTMS), which we use to collect information about drug and alcohol treatment in England.

The National Drug Treatment Monitoring System (NDTMS) data helps drug treatment demonstrate the outcomes it achieves for the people it treats and in doing so aids accountability for the money invested in it. NDTMS is a national standard and is applicable to young people and adults within community and secure setting-based treatment providers.

This document establishes the technical definitions (data schema) for the NDTMS dataset – this is the set of data items to be collected and loaded into the National Drug Treatment Monitoring System (NDTMS).

It defines for each item:

- Entities:
  - client
  - episode
  - intervention
  - sub intervention review (SIR)
  - outcomes profiles - TOP/YPOR
  - client information review (CIR)
- Field description
- CSV file header
- Layout
- Dataset inclusion/outcome form inclusion
- Verification rules
- CDS introduced

The dataset inclusion and verification rules provide information regarding which items are relevant to each dataset.

This document is intended to be a definitive and accessible source for use. It is not intended to be read from end to end, rather as a reference document which is utilised by a variety of readers including:

- interpreters of data provided from OHID systems
- suppliers of systems to OHID
- suppliers of systems which interface to OHID systems
- OHID/National Drug Treatment Monitoring System (NDTMS) personnel

This document should not be used in isolation, it is part of a package of documents supporting the NDTMS dataset and reporting requirements.

Please read this document in conjunction with the following documents, all of which are available on [NDTMS.net](https://www.ndtms.net):

- NDTMS CSV file format specification – defines the format of the CSV file used as the primary means of inputting the dataset into NDTMS including the naming standard and layout to be used
- NDTMS reference data – provides permissible values for each data item
- NDTMS geographic information – provides the locality information eg DAT of residence, Local Authority
- NDTMS business definitions – provides the explicit definition of each of the fields we collect to ensure data is consistent. There are separate definitions documents for each of the datasets: community adult, community young people, secure setting adult and secure setting young people.

To assist with the operational handling of CSV input files, each significant change to the NDTMS dataset is allocated a letter.

The latest version (commonly referred to as the NDTMS dataset Q) for national data collection will come into effect 1 April 2022.

## 2. NDTMS datasets

There are five datasets that are submitted to NDTMS, these are:

- Community Adult (AD)
- Community Young People (YP)
- Secure Adult (SA)
- Secure Young People (SY)
- CJIT (see separate CJIT documents for guidance)

Each agency that reports to NDTMS selects one of the above datasets to submit based on the clients they treat at their agency. This dataset must then be submitted for all clients at that agency. The appropriate outcome record for that dataset must also be completed for all clients; for the community adult and secure adult datasets the TOP should be completed, for the community young people and secure young people datasets the YPOR should be completed.

All current field headers for all datasets must be present in the CSV file provided to NDTMS, if there are any additional or missing headers the file will be rejected. It is expected that only the columns and values in the CSV relevant to the dataset you are submitting should be populated. Any data supplied in the CSV file that is not part of the current dataset letter or part of the relevant agency dataset type (listed above) being submitted will be nulled and not accepted into the NDTMS database.

### 3. Data entities

The data items listed in this document may be considered as belonging to one of six different entities which are used throughout this document. These are:

1. Client
2. Episode
3. Treatment Intervention
4. Sub Intervention Review (SIR)
5. Outcomes Profile – either the Treatment Outcomes Profile (TOP) or Young People's Outcomes Profile (YPOR)
6. Client Information Review (CIR)

In general, all data is required. Fields with verification rule 2 must be provided on all records, all other fields should be provided as and when the client progresses through their treatment.

Note: if the client has not given consent for the data to be shared with NDTMS, then only AGENCY, CONSENT, CLIENTID and EPISODEID need to be provided – for further clarification please refer to Section 4 below.

CLIENTID, EPISODID, MODID, SUBMID, TOPID and CIRID are included in this document for technical support purposes. It is expected that the nature of their population will depend upon the clinical software used by the treatment provider or secure setting which produces the NDTMS CSV extract. These ID fields must be unique, static and associated with a single entity within a given system so each record can be identified.

All data should be provided in code only.

## 4. Extraction criteria for no consent records

All extraction criteria are covered in the NDTMS CSV file format specification.

Where the client has not given consent for their data to be shared with NDTMS, then the CONSENT field should be populated with 'N' and the CLIENTID field populated with an identifier which uniquely identifies the client in the source system, since a client can have more than one episode of treatment the EPISODEID for each episode where consent has been withdrawn should also be provided – apart from AGENCY no other fields for this record should be populated.

Within a secure setting, where the service wishes to hold back records from the extraction process on a case by case basis for protecting the identity of any high profile prisoners or those on witness protection, then CONSENT should be populated with 'N' and CLIENTID populated with an identifier which uniquely identifies the client in the source system since a client can have more than one episode of treatment the EPISODEID for each episode where consent has been withdrawn should be provided – apart from AGENCY no other fields for this record should be populated.

Note: CLIENT, CLIENTID and EPISODEID must not contain any attributable information; a possible source for this field could be the row number of the client in the source system.

Note: Consent is at the episode level, so it is possible that a client could consent to one episode and then not consent to another (in which case there would be two records).

Software suppliers should produce one record for each no consent episode. If a client had three episodes (two of which are no consent) then the software supplier should produce two no consent records ie: one record per no consent episode and the full consented to episode.

Software suppliers should only extract no consent rows for those episodes in the date parameter of the file they are producing. Example: if the software provider is producing the recommended reporting year extract which currently includes clients still open or discharged on or after 01/01/2020, then only no consent clients who also fit these criteria should be provided in the CSV file.

## 5. NDTMS dataset fields

Note: A key is available at the end of this section.

Note: All dates should be formatted YYYYMMDD, programming languages and the implementation of how the `YYYYMMDD` string is generated is left entirely to the 3rd party software supplier.

### 1. Client details

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
1	Client ID	CLIENTID	C	All	1; 2; 6; 7; 24	CDS-C/Apr 06
2	Initial of client's first name	FINITIAL	A(1)	All	1; 2	CDS-A/Apr 04
3	Initial of client's surname	SINITIAL	A(1)	All	1; 2	CDS-A/Apr 04
4	Client birth date	DOB	YYYYMMDD	All	1; 2; 3; 5	CDS-A/Apr 04
5	Client stated sex	SEX	N(1)	All	1; 2; 4	CDS-A/Apr 04
6	Ethnicity	ETHNIC	C(2)	All	1; 4	CDS-A/Apr 04
7	Country of birth	NATION	C(3)	All	1; 4; 29	CDS-D/Apr 07
8	Agency code	AGNCY	C(5)	All	1; 2; 7	CDS-A/Apr 04
9	Client reference number	CLIENT	C(max36)	All	1; 2; 24; 52	CDS-A/Apr 04
10	Client participating in IPS	IPSCIENT	A(1)	AD, YP	1; 4; 77	CDS-O/Apr 18
11	National Insurance Number (IPS)	IPSNINUM	C(9)	AD, YP	1; 77; 79	CDS-O/Apr 18



## 2. Episode details

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
12	Episode ID	EPISODID	C(36)	All	1; 2; 6; 7; 24	CDS-C/Apr 06
13	Software system and version used	CMSID	C(50)	All	1; 2	CDS-M/Apr 16
14	Consent for NDTMS	CONSENT	A(1)	All	1; 2; 4; 7	CDS-C/Apr 06
15	Consent for IPS	IPSCONSENT	A(1)	AD, YP	1; 4; 77	CDS-O/Apr 18
16	Full postcode of residence (IPS)	IPSPC	C(8)	AD, YP	1; 77; 78	CDS-O/Apr 18
17	Postcode	PC	C(8)	All	1; 4; 17	CDS-A/Apr 04
18	DAT of residence	DAT	C(4)	All	1; 2; 4	CDS-L/Nov 13
19	Local authority	LA	C(4)	AD, YP	1; 2; 4	CDS-A/Apr 04
20	Upper tier local authority	UTLA	C(9)	All	1; 4	CDS-P/Apr 20
21	Lower tier local authority	LTLA	C(9)	AD, YP	1; 4	CDS-P/Apr 20
22	Initial reception date	INTRCPTD	YYYYMMDD	SA, SY	1; 2; 3; 5	CDS-F/Apr 09
23	Reception date	RECPDT	YYYYMMDD	SA, SY	1; 2; 3; 5	CDS-I/Apr 12
24	Transferred from	PRISON	C(5)	SA, SY	1; 4	CDS-I/Apr 12
25	Referred to service date	REFLDSERV	YYYYMMDD	AD, YP	1, 3; 5	CDS-P/Apr 20
26	Referral date	REFLD	YYYYMMDD	AD, YP	1; 2; 3; 5	CDS-A/Apr 04

<b>Col no.</b>	<b>Field description</b>	<b>CSV file header</b>	<b>Layout</b>	<b>Dataset inclusion</b>	<b>Verification rules</b>	<b>Introduced in CDS</b>
27	Referral source	RFLS	N(2)	AD, YP	1; 4	CDS-B/Apr 05
28	Triage date	TRIAGED	YYYYMMDD	All	1; 2; 3; 5	CDS-A/Apr 04
29	Previously treated	PREVTR	A(1)	AD, YP	1; 4	CDS-A/Apr 04
30	TOP care coordination	TOPCC	A(1)	AD	1; 4	CDS-C/Apr 06
31	Client stated sexual orientation	SEXUALO	C(1)	AD, SA	1; 4	CDS-M/Apr 16
32	Pregnant	PREGNANT	A(1)	All	1; 4; 49	CDS-D/Apr 07
33	Religion	RELIGION	A(1)	AD, SA	1; 4	CDS-M/Apr 16
34	Disability 1	DISABLE1	C(2)	All	1; 4	CDS-M/Apr 16
35	Disability 2	DISABLE2	C(2)	All	1; 4; 42	CDS-M/Apr 16
36	Disability 3	DISABLE3	C(2)	All	1; 4; 43	CDS-M/Apr 16
37	Accommodation need	ACCMNEED	N(2)	YP, SY	1; 4	CDS-D/Apr 07
38	Client's current housing situation/housing situation in the 28 days prior to custody	HOUSING	N(2)	AD, SA	1; 4	CDS-Q/Apr 22
39	Client threatened with homelessness in the next 56 days (8 weeks)?	HOMELESS	A(1)	AD, YP	1; 4	CDS-Q/Apr 22
40	Employment status	EMPSTAT	N(2)	AD	1; 4	CDS-C/Apr 06
41	Time since last paid employment	TSLPE	N(2)	AD, SA	1; 4; 66	CDS-N/Apr 17

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
42	British Armed Forces veteran	VETERAN	A(1)	AD, SA	1; 4	CDS-P/Apr 20
43	Parental responsibility for children under 18	PARENT	A(1)	All	1; 4	CDS-P/Apr 20
44	If client has parental responsibility, do any of these children live with the client?	PRNTSTAT	N(2)	All	1; 4; 74	CDS-C/Apr 06
45	Children under 18 living with client	CHILDWTH	N(2)	All	1; 4; 11	CDS-A/Apr 04
46	If client has parental responsibility and/or children living with them, what help are the children receiving? (1)	EHCS	N(2)	All	1; 4; 45	CDS-N/Apr 17
47	If client has parental responsibility and/or children living with them, what help are the children receiving? (2)	EHCS2	N(2)	All	1; 4; 61; 64	CDS-P/Apr 20
48	If client has parental responsibility and/or children living with them, what help are the children receiving? (3)	EHCS3	N(2)	All	1; 4; 61; 63	CDS-P/Apr 20
49	Problem substance No 1	DRUG1	N(4)	All	1; 2; 4	CDS-A/Apr 04
50	Age first use of problem substance No 1	DRUG1AGE	N(3)	AD	1; 10	CDS-A/Apr 04
51	Problem substance No 2	DRUG2	N(4)	All	1; 4	CDS-A/Apr 04

<b>Col no.</b>	<b>Field description</b>	<b>CSV file header</b>	<b>Layout</b>	<b>Dataset inclusion</b>	<b>Verification rules</b>	<b>Introduced in CDS</b>
52	Problem substance No 3	DRUG3	N(4)	All	1; 4	CDS-A/Apr 04
53	Injecting status	INJSTAT	A(1)	AD, SA, SY	1; 4	CDS-B/Apr 05
54	Alcohol AUDIT score	AUDIT	N(2)	SA, SY	1; 4; 46	CDS-M/Apr 16
55	What is the client's SADQ score?	SADQ	N(2)	AD	1; 4; 44	CDS-N/Apr 17
56	Health care assessment date	HLCASSDT	YYYYMMDD	AD, YP	1; 3; 5	CDS-B/Apr 05
57	Hep B intervention status	HEPBSTAT	A(1)	All	1; 4	CDS-B/Apr 05
58	Hep C intervention status	HEPCSTAT	A(1)	All	1; 4	CDS-D/Apr 07
59	Hep C test date	HEPCTSTD	YYYYMMDD	AD, SA	1; 3; 5	CDS-D/Apr 07
60	Hep C test result antibody status	HCVAS	N(1)	AD	1; 4	CDS-N/Apr 17
61	Hep C test result PCR (RNA) status	HCVPCR	N(1)	AD	1; 4	CDS-N/Apr 17
62	Is client HIV positive?	HIVSTAT	A(1)	AD, SA	1; 4	CDS-P/Apr 20
63	HIV latest test date	HIVTESTDT	YYYYMMDD	AD, SA	1; 3; 5	CDS-Q/Apr 22
64	Referral for alcohol related liver disease	LIVSCRN	A(1)	AD, SA	1; 4; 25	CDS-P/Apr 20
65	Has the client been issued with naloxone at episode start	NALOXISS	N(1)	AD	1; 4	CDS-P/Apr 20
66	Naloxone administered to reverse the effects of an overdose	NALOXAD	A(1)	AD	1; 4	CDS-P/Apr 20

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
67	Does the client have a mental health treatment need?	MHTTN	A(1)	AD, YP	1; 4	CDS-N/Apr 17
68	Is the client receiving treatment for their mental health need(s)?	CRTMHN	N(2)	AD, YP	1; 4; 50	CDS-N/Apr 17
69	Is the client receiving treatment for their mental health need(s)? 2	CRTMHN2	N(2)	AD, YP	1; 4; 80; 82	CDS-Q/Apr 22
70	Is the client receiving treatment for their mental health need(s)? 3	CRTMHN3	N(2)	AD, YP	1; 4; 80; 81	CDS-Q/Apr 22
71	Has the client ever been the victim of domestic abuse?	DOMVIC	N(1)	All	1; 4	CDS-Q/Apr 22
72	Has the client ever abused someone close to them?	DOMPER	N(1)	All	1; 4	CDS-Q/Apr 22
73	Has the client ever received money or goods in exchange for sex?	SEXWORK	A(1)	AD, SA	1; 4	CDS-Q/Apr 22
74	Dual diagnosis	DUALDIAG	A(1)	SA, SY	1; 4	CDS-D/Apr 07
75	Mental health interventions outside of substance misuse treatment	MHTINT	A(1)	SA	1; 4	CDS-P/Apr 20
76	Treatment for mental health during current stay	MHTXEXIT	A(1)	SA	1; 4; 25	CDS-P/Apr 20

<b>Col no.</b>	<b>Field description</b>	<b>CSV file header</b>	<b>Layout</b>	<b>Dataset inclusion</b>	<b>Verification rules</b>	<b>Introduced in CDS</b>
77	Has the client been provided with Reconnect support?	RECONNECT	A(1)	SA, SY	1; 4; 28	CDS-Q/Apr 22
78	What was the care status of the YP at treatment start (YP) or in the 28 days prior to custody (SY)	YPLCS	N(1)	YP, SY	1; 4	CDS-L/Nov 13
79	Has the YP been sexually exploited prior to treatment start (YP) or in the 28 days prior to custody (SY)	YPSSEXEX	A(1)	YP, SY	1; 4	CDS-F/Apr 09
80	Has the YP self-harmed prior to treatment start (YP)/in the 28 days prior to custody (SY)	YPSSLFHM	A(1)	YP, SY	1; 4	CDS-F/Apr 09
81	Has the YP been involved in antisocial behaviour or committed a criminal act on more than one occasion in the past 6 months?	YPABACF	A(1)	YP	1; 4	CDS-L/Nov 13
82	What was the YP's education/employment/training status at treatment start (YP) or in the 28 days prior to custody (SY)	YPSESTAT	C(2)	YP, SY	1; 4	CDS-F/Apr 09
83	Was the YP registered with GP at treatment start (YP) or in the 28 days prior to custody (SY)	YPSGP	A(1)	YP, SY	1; 4	CDS-G/Apr 10
84	Has the YP engaged in unsafe sex prior to treatment start (YP) or in the 28 days prior to custody (SY)	YPSUSS	A(1)	YP, SY	1; 4	CDS-H/Apr 11

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
85	Has the YP been offered a screen for sexually transmitted infections (including chlamydia)	YPSSTICH	A(1)	YP	1; 4	CDS-Q/Apr 22
86	Was the YP subject to a Child Protection Plan (CPP) at treatment start (YP) or in the 28 days prior to custody (SY)	YPCPL	N(1)	YP, SY	1; 4	CDS-L/Nov 13
87	Has the YP been involved in gangs at treatment start (YP) or in the 28 days prior to custody (SY)	YPGANGS	A(1)	YP, SY	1; 4	CDS-P/Apr 20
88	Has the YP been affected by child criminal exploitation at treatment start (YP) or in the 28 days prior to custody (SY)	YPCRIMEX	A(1)	YP, SY	1;4	CDS-P/Apr 20
89	YP affected by substance misuse in their close family/members of their household at treatment start (YP) or in the 28 days prior to custody (SY)	YPASMFM	A(1)	YP, SY	1; 4	CDS-L/Nov 13
90	YP met goals agreed on care plan at discharge	YPECAREP	A(1)	YP	1; 4; 22	CDS-F/Apr 09
91	YP offered continuing support from non-substance misuse services at discharge	YPCSNSM	N(1)	YP	1; 4; 22	CDS-L/Nov 13
92	Use of psychoactive substances during treatment episode	NPSUSE	A(1)	SA	1; 4; 22	CDS-P/Apr 20

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
93	Discharge date	DISD	YYYYMMDD	All	1; 3; 5; 8	CDS-F/Apr 09
94	Discharge reason	DISRSN	N(2)	All	1; 4; 8, 22	CDS-A/Apr 04
95	Has the client been sentenced	SENTENCED	A(1)	SA	1; 4; 25	CDS-N/Apr17
96	Take home Naloxone and training information	THNALOX	A(1)	SA	1; 4; 28	CDS-N/Apr 17
97	Referred for hep C treatment	REFHEPCTX	A(1)	AD, SA	1; 4; 25	CDS-N/Apr 17
98	Client threatened with homelessness in the 56 days (8 weeks) following exit from secure setting?	HOMELESSEXIT	A(1)	SA, SY	1; 4; 28	CDS-Q/Apr 22
99	Secure setting exit date	EXITD	YYYYMMDD	SA, SY	1; 3; 5	CDS-I/Apr 12
100	Secure setting exit reason	EXITRSN	A(1)	SA, SY	1; 4; 25; 27	CDS-I/Apr 12
101	Secure setting exit destination	EXITDEST	C(5)	SA, SY	1; 4; 25; 26; 53	CDS-I/Apr 12
102	Referral on release status	RTOAGNCY	N(1)	SA, SY	1; 4; 28	CDS-I/Apr 12

### 3. Treatment intervention details

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
103	Intervention ID	MODID	C(36)	All	1; 6; 24	CDS-C/Apr 06



Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
104	Date referred to intervention	REFMODDT	YYYYMMDD	AD, YP	1; 3; 5; 9	CDS-C/Apr 06
105	Date of first appointment offered for intervention	FAOMODDT	YYYYMMDD	AD, YP	1; 3; 5	CDS-C/Apr 06
106	Treatment intervention	MODAL	N(3)	All	1; 4; 9; 83	CDS-A/Apr 04
107	Intervention setting	MODSET	N(2)	AD, YP	1; 4; 34	CDS-J/Oct 12
108	Intervention start date	MODST	YYYYMMDD	All	1; 3; 5; 14; 38	CDS-A/Apr 04
109	Intervention end date	MODEND	YYYYMMDD	All	1; 3; 5; 39	CDS-A/Apr 04

#### 4. Sub intervention review (SIR) details

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
110	Sub intervention ID	SUBMID	C(36)	AD, YP	1; 6; 24	CDS-J/Oct 12
111	Sub intervention assessment date	SUBMODDT	YYYYMMDD	AD, YP	1; 3; 5; 6	CDS-J/Oct 12
112	Proportion of face-to-face appointments with keyworker	SUBPROPFTF	A(1)	AD, YP	1; 4	CDS-Q/Apr 22
113	Methadone (oral solution) * – Opioid assessment and	PHMETSTBL	A(1)	AD	1; 4; 35; 67; 72	CDS-P/Apr 20
114	Methadone (oral solution) * – Opioid withdrawal	PHMETWTH	A(1)	AD	1; 4; 35; 67; 72	CDS-P/Apr 20

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
115	Methadone (oral solution) * – Opioid maintenance	PHMETMAIN	A(1)	AD	1; 4; 35; 67; 72	CDS-P/Apr 20
116	Current daily dose of liquid oral methadone medication	PHDOSMET	N(3)	AD	1; 4; 35; 70	CDS-P/Apr 20
117	Buprenorphine (tablet/wafer) # – Opioid assessment and stabilisation	PHBUPSTBL	A(1)	AD	1; 4; 35; 67; 73	CDS-P/Apr 20
118	Buprenorphine (tablet/wafer) # – Opioid withdrawal	PHBUPWTH	A(1)	AD	1; 4; 35; 67; 73	CDS-P/Apr 20
119	Buprenorphine (tablet/wafer) # – Opioid maintenance	PHBUPMAIN	A(1)	AD	1; 4; 35; 67; 73	CDS-P/Apr 20
120	Buprenorphine (tablet/wafer) with naloxone # – Opioid assessment and stabilisation	PHBUNASTBL	A(1)	AD	1; 4; 35; 67; 73	CDS-P/Apr 20
121	Buprenorphine (tablet/wafer) with naloxone # – Opioid withdrawal	PHBUNAWTH	A(1)	AD	1; 4; 35; 67; 73	CDS-P/Apr 20
122	Buprenorphine (tablet/wafer) with naloxone # – Opioid maintenance	PHBUNAMAIN	A(1)	AD	1; 4; 35; 67; 73	CDS-P/Apr 20
123	Current daily dose of oral buprenorphine medication	PHDOSBUP	N(2,1)	AD	1; 4; 35; 57, 68	CDS-P/Apr 20
124	Is consumption of OST medication currently supervised?	PHOSTSPVD	N(2)	AD	1; 4; 35; 67	CDS-P/Apr 20

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
125	Buprenorphine depot injection (rods or fluid) – Opioid withdrawal	PHBUDIWITH	A(1)	AD	1; 4; 35	CDS-P/Apr 20
126	Buprenorphine depot injection (rods or fluid) – Opioid maintenance	PHBUDIMAIN	A(1)	AD	1; 4; 35	CDS-P/Apr 20
127	Diamorphine injection – Opioid assessment and stabilisation/opioid withdrawal/opioid maintenance	PHDIAINJ	A(1)	AD	1; 4; 35	CDS-P/Apr 20
128	Methadone injection – Opioid assessment and stabilisation/opioid withdrawal/opioid maintenance	PHMETHINJ	A(1)	AD	1; 4; 35	CDS-P/Apr 20
129	Benzodiazepine – Benzodiazepine maintenance	PHBENMAIN	A(1)	AD	1; 4; 35	CDS-P/Apr 20
130	Benzodiazepine – Stimulant withdrawal	PHBENSWTH	A(1)	AD	1; 4; 35	CDS-P/Apr 20
131	Benzodiazepine – GHB/GBL withdrawal	PHBENGWTH	A(1)	AD	1; 4; 35	CDS-P/Apr 20
132	Stimulant eg dexamfetamine – Stimulant withdrawal	PHSTIMWTH	A(1)	AD	1; 4; 35	CDS-P/Apr 20
133	Pregabalin – Gabapentinoid withdrawal	PHPREGWTH	A(1)	AD	1; 4; 35	CDS-P/Apr 20

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
134	Gabapentin – Gabapentinoid withdrawal	PHGABAWTH	A(1)	AD	1; 4; 35	CDS-P/Apr 20
135	Naltrexone (oral) – Opioid relapse prevention	PHNALTRLPR	A(1)	AD	1; 4; 35	CDS-P/Apr 20
136	Naltrexone (oral) – Alcohol relapse prevention/consumption reduction	PHNALTALC	A(1)	AD	1; 4; 35	CDS-P/Apr 20
137	Chlordiazepoxide – Alcohol withdrawal	PHCHLORALC	A(1)	AD	1; 4; 35	CDS-P/Apr 20
138	Diazepam – Alcohol withdrawal	PHDIAALC	A(1)	AD	1; 4; 35	CDS-P/Apr 20
139	Carbamazepine – Alcohol withdrawal	PHCARBALC	A(1)	AD	1; 4; 35	CDS-P/Apr 20
140	Other prescribed medication for alcohol withdrawal – Alcohol withdrawal	PHOTHALCW	A(1)	AD	1; 4; 35	CDS-P/Apr 20
141	Acamprosate - Alcohol relapse prevention	PHACAMALC	A(1)	AD	1; 4; 35	CDS-P/Apr 20
142	Disulfiram - Alcohol relapse prevention	PHDISUALC	A(1)	AD	1; 4; 35	CDS-P/Apr 20
143	Vitamin B and C supplement to prevent/treat Wernicke's encephalopathy/Wernicke-Korsakoffs	PHVITBC	A(1)	AD	1; 4; 35	CDS-P/Apr 20

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
144	Other medication for the treatment of drug misuse/dependence/withdrawal/associated symptoms	PHOTHMED	A(1)	AD	1; 4; 35	CDS-P/Apr 20
145	Client involved with motivational interventions	PSYMOTI	A(1)	AD	1; 4; 36	CDS-J/Oct 12
146	Client involved with contingency management (drug focused)	PSYCNMG	A(1)	AD	1; 4; 36	CDS-J/Oct 12
147	Client involved with family and social network interventions	PSYFSNI	A(1)	AD	1; 4; 36	CDS-J/Oct 12
148	Evidence-based psychological intervention for co-existing mental health disorders	PSYMNTH	A(1)	AD	1; 4; 36	CDS-J/Oct 12
149	Client involved with psychodynamic therapy	PSYDNMC	A(1)	AD	1; 4; 36	CDS-J/Oct 12
150	Client involved with 12-step work	PSYSTP	A(1)	AD	1; 4; 36	CDS-J/Oct 12
151	Client involved in counselling – BACP accredited	PSYCOUN	A(1)	AD	1; 4; 36	CDS-J/Oct 12
152	Client involved with cognitive and behavioural based relapse prevention interventions (substance misuse specific)	PSYCGBH	A(1)	AD	1; 4; 36	CDS-J/Oct 12
153	Client provided with peer support involvement	RECPEER	A(1)	AD	1; 4; 37	CDS-J/Oct 12

<b>Col no.</b>	<b>Field description</b>	<b>CSV file header</b>	<b>Layout</b>	<b>Dataset inclusion</b>	<b>Verification rules</b>	<b>Introduced in CDS</b>
154	Client provided with facilitated access to mutual aid	RECMAID	A(1)	AD	1; 4; 37	CDS-J/Oct 12
155	Client provided with family	RECFMSP	A(1)	AD	1; 4; 37	CDS-J/Oct 12
156	Client provided with parenting support	RECPRNT	A(1)	AD	1; 4; 37	CDS-J/Oct 12
157	Client provided with housing support	RECHSE	A(1)	AD	1; 4; 37	CDS-J/Oct 12
158	Client provided with employment support	RECEMP	A(1)	AD	1; 4; 37	CDS-J/Oct 12
159	Client provided with education and training support	RECEDUT	A(1)	AD	1; 4; 37	CDS-J/Oct 12
160	Client provided with supported work projects	RECWPRJ	A(1)	AD	1; 4; 37	CDS-J/Oct 12
161	Client provided with recovery check-ups	RECCHKP	A(1)	AD	1; 4; 37	CDS-J/Oct 12
162	Client provided with evidence-based psychosocial interventions to support relapse prevention	RECRLPP	A(1)	AD	1; 4; 37	CDS-J/Oct 12
163	Client provided with complementary therapies	RECCMPT	A(1)	AD	1; 4; 37	CDS-J/Oct 12
164	Client provided with mental health interventions	RECGNH	A(1)	AD	1; 4; 37	CDS-J/Oct 12

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
165	Client provided with smoking cessation interventions	RECSMOC	A(1)	AD	1; 4; 37	CDS-M/Apr 16
166	Client provided with domestic abuse support for victim/survivor?	RECDOMVIC	A(1)	AD, YP	1; 4; 37; 40	CDS-Q/Apr 22
167	Client provided with domestic abuse support for perpetrator?	RECDOMPER	A(1)	AD, YP	1; 4; 37; 40	CDS-Q/Apr 22
168	Has the client been provided prescribing for relapse prevention (post structured treatment only)	RECMEDRLP	A(1)	AD	1; 4; 37; 60	CDS-P/Apr 20
169	Client provided with cognitive and behavioural interventions	CBIYPS	A(1)	YP	1; 4; 41	CDS-L/Nov 13
170	Client provided with motivational interventions	MIYPS	A(1)	YP	1; 4; 41	CDS-L/Nov 13
171	Client provided with structured family interventions (including family therapy)	SFIFTYPS	A(1)	YP	1; 4; 41	CDS-L/Nov 13
172	Client provided with multi component programmes	MCPYPS	A(1)	YP	1; 4; 41	CDS-L/Nov 13
173	Client provided with contingency management	CMYPS	A(1)	YP	1; 4; 41	CDS-L/Nov 13
174	Client provided with counselling	CYPS	A(1)	YP	1; 4; 41	CDS-L/Nov 13
175	Education/training	YPEDTR	A(1)	YP	1; 4; 40	CDS-L/Nov 13
176	Employment/volunteering	YPEVOL	A(1)	YP	1; 4; 40	CDS-L/Nov 13

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
177	Housing	YPINHO	A(1)	YP	1; 4; 40	CDS-L/Nov 13
178	Generic family support	YPRGFS	A(1)	YP	1; 4; 40	CDS-L/Nov 13
179	Generic parenting support	YPGPS	A(1)	YP	1; 4; 40	CDS-L/Nov 13
180	Peer support involvement/mentoring	YPPSIM	A(1)	YP	1; 4; 40	CDS-L/Nov 13
181	Mental health	YPMHLTH	A(1)	YP	1; 4; 40	CDS-L/Nov 13
182	Offending	YPOFFND	A(1)	YP	1; 4; 40	CDS-L/Nov 13
183	Health	YPHEALTH	A(1)	YP	1; 4; 40	CDS-L/Nov 13
184	Sexual health/pregnancy	YPSHP	A(1)	YP	1; 4; 40	CDS-L/Nov 13
185	Meaningful activity	YPMATY	A(1)	YP	1; 4; 40	CDS-L/Nov 13
186	Disability services	YPDISSER	A(1)	YP	1; 4; 40	CDS-L/Nov 13
187	Behavioural services	YPBESER	A(1)	YP	1; 4; 40	CDS-L/Nov 13
188	Young carers	YPYCAR	A(1)	YP	1; 4; 40	CDS-L/Nov 13
189	Smoking cessation	YPSCES	A(1)	YP	1; 4; 40	CDS-M/Apr 16
190	Youth services (including targeted youth support)	YPSER	A(1)	YP	1; 4; 40	CDS-L/Nov 13
191	Children's social care	YPCSC	A(1)	YP	1; 4; 40	CDS-L/Nov 13



## 5. Outcomes profile – TOP/YPOR

Col no.	Field description	CSV file header	Layout	Outcome form inclusion	Verification rules	Introduced in CDS
192	TOP ID	TOPID	C(36)	All	1; 6; 24	CDS-E/Oct 07
193	Outcomes profile (TOP/YPOR) date	TOPDATE	YYYYMMDD	All	1; 3; 5; 6	CDS-E/Oct 07
194	Alcohol use (days)	ALCUSE	N(2)	All	1; 4; 6; 18	CDS-E/Oct 07
195	Consumption (alcohol units)	CONSMP	N(3,1)	All	1; 4; 6; 13; 57	CDS-L/Nov 13
196	Opiate use (illicit) (days)	OPIUSE	N(2)	All	1; 4; 6; 18	CDS-E/Oct 07
197	Crack use (days)	CRAUSE	N(2)	All	1; 4; 6; 18	CDS-E/Oct 07
198	Cocaine use (days)	COCAUSE	N(2)	All	1; 4; 6; 18	CDS-E/Oct 07
199	Amphetamine use (days)	AMPHUSE	N(2)	All	1; 4; 6; 18	CDS-E/Oct 07
200	Cannabis use (days)	CANNUSE	N(2)	All	1; 4; 6; 18	CDS-E/Oct 07
201	Cannabis average use per day (grams)	CAUSPD	N(2,1)	YPOR	1; 4; 6, 32; 57	CDS-L/Nov 13
202	Other substance use (days)	OTDRGUSE	N(2)	All	1; 4; 6; 18	CDS-E/Oct 07
203	Other substance use 2 (days)	OTHR2YP	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
204	Other substance use 3 (days)	OTHR3YP	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
205	Tobacco/nicotine use (days)	TOBUSE	N(2)	TOP	1; 4; 6; 18	CDS-M/Apr 16
206	Injected with a needle or syringe used by somebody else (days)	IVDRGUSE	N(2)	TOP	1; 4; 6; 18	CDS-E/Oct 07

Col no.	Field description	CSV file header	Layout	Outcome form inclusion	Verification rules	Introduced in CDS
207	Injected using a spoon, water or filter used by somebody else	SHARING	C(2)	TOP	1; 4; 6; 20	CDS-E/Oct 07
208	How often has the client had 6 or more units if female, or 8 or more if male, on a single occasion in the last 28 days/28 days prior to custody?	BINGEDRINK	C(2)	TOP	1; 4; 6	CDS-Q/Apr 22
209	Psychological health status	PSYHSTAT	N(2)	TOP	1; 4; 6; 19	CDS-E/Oct 07
210	Days in paid work	PWORK	N(2)	TOP	1; 4; 6; 18	CDS-E/Oct 07
211	Days in volunteering or unpaid structured work placement	VOLNPWORK	N(2)	TOP	1; 4; 6; 18	CDS-Q/Apr 22
212	Days attended college or school	EDUCAT	N(2)	TOP	1; 4; 6; 18	CDS-E/Oct 07
213	Physical health status	PHSTAT	N(2)	TOP	1; 4; 6; 19	CDS-E/Oct 07
214	Acute housing problem	ACUTHPBM	C(2)	TOP	1; 4; 6; 20	CDS-E/Oct 07
215	Unsuitable housing	UNSTHSE	C(2)	All	1; 4; 6; 20	CDS-N/Apr 17
216	At risk of eviction	HRISK	C(2)	TOP	1; 4; 6; 20	CDS-E/Oct 07
217	Overall quality of life	QUALLIFE	N(2)	TOP	1; 4; 6; 19	CDS-E/Oct 07
218	Tobacco/nicotine	TOANIC	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
219	Ecstasy use (days)	ECSTSYYP	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
220	Solvent use (days)	SOLVYP	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13

Col no.	Field description	CSV file header	Layout	Outcome form inclusion	Verification rules	Introduced in CDS
221	Ketamine use (days)	KETAMNYP	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
222	GHB use (days)	GHBYP	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
223	Psychoactive substances use (PS)	LEHIGSYP	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
224	Tranquilisers use (including benzodiazepines)	TRANYP	N(2)	YPOR	1; 4; 6; 47	CDS-L/Nov 13
225	Age substance first used: cannabis	AFUCAN	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
226	Age substance first used: alcohol	AFUALC	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
227	Age substance first used: tobacco/nicotine	AFUTOBN	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
228	Age substance first used: opiates (illicit)	AFUOOL	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
229	Age substance first used: crack	AFUCRACK	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
230	Age substance first used: cocaine	AFUCOC	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
231	Age substance first used: ecstasy	AFUEST	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
232	Age substance first used: amphetamines	AFUAMP	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
233	Age substance first used: solvents	AFUSLV	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13

Col no.	Field description	CSV file header	Layout	Outcome form inclusion	Verification rules	Introduced in CDS
234	Age substance first used: ketamine	AFUKET	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
235	Age substance first used: GHB	AFUGHB	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
236	Age substance first used: Psychoactive substances (PS)	AFULHU	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
237	Age substance first used: tranquilisers (including benzodiazepines)	AFUTQL	N(2)	YPOR	1; 4; 6; 31	CDS-L/Nov 13
238	Alcohol use over past 28 days/28 days prior to custody: male over 8 units/female over 6 units	AAUSFWK	C(2)	YPOR	1; 4; 6	CDS-L/Nov 13
239	Ever injected	LINSTUS	C(2)	YPOR	1; 4; 6	CDS-L/Nov 13
240	Injecting drug use (last 28 days/28 days prior to custody)	YPIVDRGU	C(2)	YPOR	1; 4; 6; 55	CDS-N/Apr 17
241	In the previous 28 days/28 days prior to custody, has the YP consumed alcohol on a weekday during the daytime	PTEDAWDD	C(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13
242	In the previous 28 days/28 days prior to custody, has the YP consumed alcohol on a weekday during the evening	PTEDAWDE	C(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13

Col no.	Field description	CSV file header	Layout	Outcome form inclusion	Verification rules	Introduced in CDS
243	In the previous 28 days/28 days prior to custody, has the YP consumed alcohol on a weekend during the daytime	PTEDAWED	C(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13
244	In the previous 28 days/28 days prior to custody, has the YP consumed alcohol on a weekend during the evening	PTEDAWEE	C(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13
245	In the previous 28 days/28 days prior to custody, has the YP consumed alcohol on their own	PTEDOYO	C(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13
246	In the previous 28 days/28 days prior to custody, has the YP used substances (excluding tobacco) on a weekday during the daytime	PTEUSWDD	C(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13
247	In the previous 28 days/28 days prior to custody, has the YP used substances (excluding tobacco) on a weekday during the evening	PTEUSWDE	C(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13
248	In the previous 28 days/28 days prior to custody, has the YP used substances (excluding tobacco) on a weekend during the daytime	PTEUSWED	C(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13

Col no.	Field description	CSV file header	Layout	Outcome form inclusion	Verification rules	Introduced in CDS
249	In the previous 28 days/28 days prior to custody, has the YP used substances (excluding tobacco) on a weekend during the evening	PTEUSWEE	C(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13
250	In the previous 28 days/28 days prior to custody, has the YP used any substances (excluding tobacco) on their own	PTEUSOYO	C(2)	YPOR	1; 4; 6; 56	CDS-L/Nov 13
251	How satisfied YP is with life today?	LISREDYS	N(2)	YPOR	1; 4; 6; 33	CDS-L/Nov 13
252	How anxious did YP feel yesterday?	ANSTS	N(2)	YPOR	1; 4; 6; 33	CDS-L/Nov 13
253	How happy did YP feel yesterday?	HAPSTYS	N(2)	YPOR	1; 4; 6; 33	CDS-L/Nov 13
254	How well does YP get on with family?	RATEFAM	N(2)	YPOR	1; 4; 6; 33	CDS-P/Apr 20
255	How well does YP get on with friends?	RATEFRI	N(2)	YPOR	1; 4; 6; 33	CDS-P/Apr 20

## 6. Client information review (CIR)

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
256	CIR ID	CIRID	C(36)	AD, YP	1; 6; 24	CDS–N/Apr17
257	Client information review date	CIRDT	YYYYMMDD	AD, YP	1; 3; 5; 6; 65	CDS–N/Apr17
258	CIR stage – Full or partial CIR completed?	CIRSTAGE	N(1)	AD, YP	1; 4; 59	CDS–P/Apr 20
259	CIR Hep B intervention status	CIRHEPBSTAT	A(1)	AD, YP	1; 4; 65	CDS–N/Apr17
260	CIR Hep C intervention status	CIRHEPCSTAT	A(1)	AD, YP	1; 4; 65	CDS–N/Apr17
261	CIR Hep C test date	CIRHEPCTSTD	YYYYMMDD	AD	1; 3; 5	CDS–P/Apr 20
262	CIR Hep C test result antibody status	CIRHCVAS	N(1)	AD	1; 4	CDS–N/Apr17
263	CIR Hep C test result (PCR) RNA status	CIRHCVPCR	N(1)	AD	1; 4	CDS–N/Apr17
264	CIR Referred for HEP C treatment?	CIRREFHEPCT X	A(1)	AD	1; 4; 65	CDS–P/Apr20
265	CIR Is client HIV positive?	CIRHIVSTAT	A(1)	AD	1; 4; 65	CDS–P/Apr 20
266	CIR HIV latest test date	CIRHIVTESTDT	YYYYMMDD	AD	1; 3; 5	CDS–Q/Apr 22
267	CIR Referral for alcohol related liver disease	CIRLIVSCRN	A(1)	AD	1; 4; 65	CDS–P/Apr 20
268	CIR Health care assessment date	CIRHLCASSDT	YYYYMMDD	AD, YP	1; 3; 5	CDS–P/Apr 20

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
269	CIR Has the client been issued with naloxone in the last 6 months?	CIRNALOXISS	N(1)	AD	1; 4; 65	CDS–P/Apr20
270	CIR Client administered naloxone to reverse the effects of an overdose in the last 6 months	CIRNALOXAD	A(1)	AD	1; 4; 65	CDS–P/Apr20
271	CIR Pregnant	CIRPREGNANT	A(1)	AD YP	1; 4; 49	CDS–N/Apr17
272	CIR Parental responsibility for children under 18	CIRPARENT	A(1)	AD, YP	1; 4; 65	CDS–P/Apr20
273	CIR If client has parental responsibility, do any of these children live with the client?	CIRPRTST	N(2)	AD YP	1; 4; 75	CDS–N/Apr17
274	CIR How many children under 18 living with client?	CIRCLDWT	N(2)	AD, YP	1; 4; 65	CDS–N/Apr17
275	CIR If client has parental responsibility and/or children living with them, what help are the children receiving?	CIREHCSC	N(2)	AD, YP	1; 4	CDS–N/Apr17
276	CIR If client has parental responsibility and/or children living with them, what help are the children receiving? (2)	CIREHCSC2	N(2)	AD, YP	1; 4; 61; 64	CDS–P/Apr20
277	CIR If client has parental responsibility and/or children living with them, what help are the	CIREHCSC3	N(2)	AD, YP	1; 4; 61; 63	CDS–P/Apr20



Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
	children receiving? (3)					
278	CIR Does the client have a mental health treatment need?	CIRMTHTN	A(1)	AD, YP	1; 4; 65	CDS–N/Apr17
279	CIR Is the client currently receiving treatment for their mental health need(s)?	CIRCRTMHN	N(2)	AD, YP	1; 4; 76	CDS–N/Apr17
280	CIR Is the client currently receiving treatment for their mental health need(s) 2?	CIRCRTMHN2	N(2)	AD, YP	1; 4; 80; 82	CDS-Q/Apr 22
281	CIR Is the client currently receiving treatment for their mental health need(s) 3?	CIRCRTMHN3	N(2)	AD, YP	1; 4; 80; 81	CDS-Q/Apr 22
282	CIR What is the client's current housing situation?	CIRHOUSING	N(2)	AD	1; 4; 65	CDS-Q/Apr 22
283	CIR Is the client threatened with homelessness in the next 56 days (8 weeks)?	CIRHOMELESS	A(1)	AD, YP	1; 4; 65	CDS-Q/Apr 22
284	CIR Has the client ever been the victim of domestic abuse?	CIRDOMVIC	N(1)	AD, YP	1; 4; 65	CDS-Q/Apr 22
285	CIR Has the client ever abused someone close to them?	CIRDOMPER	N(1)	AD, YP	1; 4; 65	CDS-Q/Apr 22
286	CIR Is the YP subject to a child protection plan?	CIRYPCPL	N(1)	YP	1; 4; 65	CDS–P/Apr 20

Col no.	Field description	CSV file header	Layout	Dataset inclusion	Verification rules	Introduced in CDS
287	CIR Has the YP been offered a screen for sexually transmitted infections (including chlamydia)	CIRYPSSTICH	A(1)	YP	1; 4; 65	CDS-Q/Apr 22

## Key

All	Multiple dataset field applicable to all dataset classifications.
AD	Adult (community)
YP	Young People (community)
SY	Young People Secure Settings
SA	Adult Secure Settings
N	Numeric
A	Alphabetical (upper case)
C	Alphanumeric
DD	Numeric day (including a leading zero, if relevant)
MM	Numeric month (including a leading zero, if relevant)
YYYY	Numeric year

## 6. Verification rules

When the data is received by NDTMS, it is subjected to a validation process. Each data item will be subjected to none, one or more verification rules. Note: this list refers to only the most significant validations performed

Rule no.	Description
1	There must be no leading or trailing spaces in any field
2	Field is mandatory if CONSENT for NDTMS is Yes
3	Must be a valid date, down to the day eg in the form YYYYMMDD
4	Must be as specified in the appropriate section (3,4,5) of the reference data document – must be provided as code value
5	For date rules refer to <a href="#">Section 7 NDTMS dataset – date sequences of NDTMS Technical Definitions</a>
6	Field is mandatory if any items in this entity are not null
7	Field should also be populated if consent for NDTMS is 'N'
8	Discharge reason must be provided if discharge date is present (and vice versa)
9	Mandatory if any of following fields are not null – treatment intervention; date referred to intervention; intervention ID, date of first appointment offered for intervention; intervention start date; intervention end date
10	Age of first use must be less than or equal to the client's age at referral
11	Number of children must be a value between 0 and 30 (inclusive)
13	Units of alcohol must be a value between 0 and 200 (inclusive) or 999 if not answered
14	Intervention start date (MODST) must be provided if intervention end date (MODEND) is present

Rule no.	Description
17	Only partial postcodes should be submitted and must be separated by a space eg NW7 3. For NFA the postcode should be ZZ99 3
18	Value must be between 0 and 28 (inclusive) or not answered/not disclosed = 99
19	Value must be between 0 and 20 (inclusive) or not answered/not disclosed = 99
20	Value must be Y or N or 99 (not answered/not disclosed)
22	Field should contain a value if the episode has been closed ie: discharge date (DISD) is not null
24	Must not hold or be composed of attributers which might identify the individual and must be unique and static
25	(Secure settings only) Field should be populated with a value if secure setting exit date (EXITD) is not null
26	Secure setting exit destination (EXITDEST) should be populated with a NDTMS secure setting code if secure setting exit reason (EXITRSN) is 'transferred'
27	Secure setting exit destination (EXITDEST) should not be populated with a value if secure setting exit reason (EXITRSN) is null
28	Field should be populated with a value if secure setting exit reason (EXITRSN) is 'released' (secure adult only for RECONNECT)
29	Should be provided as Alpha 3 code. <a href="#">ISO 3166 Country Codes can be found online.</a>
31	Value must be between 0 and 75 or 99 (not answered or not disclosed)
32	Value must be between 0 and 14 or 99 (not answered or not disclosed)
33	Value must be between 0 and 10 or 99 (not answered or not disclosed)
34	Field must contain a value if intervention is delivered outside of the parent treatment provider setting

Rule no.	Description
35	At SIR completion, field should contain a value if treatment intervention is/was pharmacological
36	At SIR completion, field should contain a value if treatment intervention is/was psychosocial
37	At SIR completion, field should contain a value if treatment intervention is/was recovery support
38	Intervention start date can occur after discharge date if intervention type is recovery support
39	Intervention end date can occur after discharge date if intervention type is recovery support / IPS (Individual Placement & Support) / ADDER support / Accelerator support / RSDATG engagement
40	At SIR completion, field should contain a value if treatment intervention is YP multi agency working
41	At SIR completion, field should contain a value if treatment intervention is YP psychosocial
42	If populated, field should not contain the same value as Disability 1 AND Disability 1 must not be null
43	If populated, field should not contain the same value as Disability 1 or Disability 2 AND Disability 1 and Disability 2 must not be null
44	SADQ score must be between 0-60 (inclusive) or 98 (information not available) or 99 (client declined to answer)
45	Must be completed if PARENT, PRNTSTAT or CHILDWTH show the client is a parent or has children living with them
46	AUDIT score must be a value between 0 and 40 (inclusive) or 99 (not answered or not disclosed)
47	Value must be between 0 to 28 or 99 (not answered or not disclosed)
49	Field should only be populated where SEX field value is '2' female.
50	Field should be populated where MHTTN value is 'Y'
52	(Secure settings only) CLIENT field must be populated with a NOMS ID or other unique prisoner identifier number

Rule no.	Description
53	Secure setting exit destination should be populated with a DAT code if secure setting exit reason is released
55	Field should be completed if LINSTUS is 'Y'
56	Value must be 1 or 2 or 99 (not answered)
57	Decimals permitted to one decimal place
59	Mandatory where CIRID is not null
60	If populated value is 'Y' SIRDATE must be >= DISD
61	If populated, should not contain the same value as EHCSC1/CIREHCSC1 and EHCSC1/CIREHCSC1 must not be null
63	If populated should not contain the same value as EHCSC2/CIREHCSC2 and EHCSC2/CIREHCSC2 should not be null
64	If populated should not contain the same value as EHCSC3/CIREHCSC3
65	Must be populated if CIRSTAGE is '2'
66	(Community Adult only) Field should be populated if EMPSTAT is not 'regular employment'
67	If either PHMETSTBL, PHMETWTH, PHMETMAIN, PHBUPSTBL, PHBUPWTH, PHBUPMAIN, PHBUNASTBL, PHBUNAWTH or PHBUNAMAIN are populated with 'Y', PHOSTSPVD should be populated
68	If either PHBUPSTBL, PHBUPWTH, PHBUPMAIN, PHBUNASTBL, PHBUNAWTH or PHBUNAMAIN are populated with 'Y' then this field should be populated
70	If either PHMETSTBL, PHMETWTH or PHMETMAIN are populated with 'Y' then this field should be populated
72	If populated with 'Y' PHDOSMET must be populated
73	If populated with 'Y' PHDOSBUP must be populated

Rule no.	Description
74	If PARENT is 'Y' this field should be populated
75	Must be populated if CIRPARENT is 'Y'
76	Must be populated if CIRMHTN is 'Y'
77	Field should only be populated for clients participating in IPS
78	The Post Outcode and the Post Incode in full postcodes should be submitted and must be separated by a space eg NW7 3DJ
79	IPS National Insurance Number should be made up of 2 letters, 6 numbers and a final letter eg QQ123456A. D, F, I, Q, U, and V should not be used in the first two letters, nor should O be used as a second letter and the first two letters should not be the following combinations BG, GB, KN, NK, NT, TN and ZZ. The final letter should only ever be A, B, C or D
80	If populated, should not contain the same value as CRTMHN/CIRCRTMHN and CRTMHN/CIRCRTMHN must not be null
81	If populated should not contain the same value as CRTMHN2/ CIRCRTMHN2 and CRTMHN2/ CIRCRTMHN2 should not be null
82	If populated should not contain the same value as CRTMHN3/ CIRCRTMHN3
83	Intervention start date can occur before triage or after discharge date if intervention type is IPS (Individual Placement & Support) / ADDER support / Accelerator support / RSDATG engagement

## 7. NDTMS dataset – date sequences

### NDTMS community date verification rule matrix

Read along the row then up the column

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Data Item	1902	Today	DOB <sup>2</sup>	REFLDSERV	REFLD	TRIAGED	HEPCTSTD	HLCASST	DISD	REFMODDT	FAOMODDT	MODST	MODEND	SUBMODDT	TOPDATE	CIRDT	CIRHEPCTSTD	CIRHLCASSDT
1 1902	X	<	<=	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
2 Today	>	X	>	>=	>=	>=	>=	>=	>=	>=	X	>=	>=	>=	>=	>=	>=	>=
3 DOB - Date of birth of client <sup>2</sup>	>=	<	X	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
4 REFLDSERV - Referred to service date	>	<=	>	X	<=	<=	X	<=	<=	<=	<=	<=	<=	<=	<=	<=	X	<=
5 REFLD - Referral date	>	<=	>	>=	>=	<=	X	<=	<=	<=	<=	<=	<=	<=	<=	<=	<=	<=
6 TRIAGED - Triage date	>	<=	>	>=	>=	<=	X	<=	<=	X	<=	<=	<=	<=	<=	<=	X	<=
7 HEPCTSTD - Hep C test date	>	<=	>	X	X	X	X	<=	<=	X	X	X	X	X	X	X	X	X
8 HIVTESTDT - HIV test date	>	<=	>	X	X	X	X	<=	<=	X	X	X	X	X	X	X	X	X
9 HLCASST - Healthcare assessment date	>	<=	>	>=	>=	>=	X	<=	<=	X	X	X	X	X	X	X	X	X
10 DISD - Discharge date	>	<=	>	>=	>=	>=	X	>=	>=	>=	>=	>=	>=	>=	>=	>=	X	>=
11 REFMODDT - Date referred to intervention	>	<=	>	>=	X	X	X	X	<=	>=	<=	<=	<=	X	X	X	X	X
12 FAOMODDT - Date of first appointment offered for intervention	>	X	>	>=	>=	>=	X	X	<=	>=	<=	<=	<=	X	X	X	X	X
13 MODST - Intervention start date	>	<=	>	>=	>=	>=	X	X	<=	>=	>=	X	<=	X	X	X	X	X
14 MODEND - Intervention end date	>	<=	>	>=	>=	>=	X	X	<=	>=	>=	>=	X	X	X	X	X	X
15 SUBMODDT - sub intervention review date	>	<=	>	>=	>=	>=	X	X	<=	X	X	X	X	X	X	X	X	X
16 TOPDATE - TOP/YPOR date	>	<=	>	>=	>=	>=	X	X	X	X	X	X	X	X	X	X	X	X
17 CIRDT - Client information review date	>	<=	>	>=	>=	>=	X	X	<=	X	X	X	X	X	X	X	X	X
18 CIRHEPCTSTD - CIR Hep C tested date	>	<=	>	X	X	X	X	X	<=	X	X	X	X	X	X	X	X	X
19 CIRHIVTESTDT - CIR HIV test date	>	<=	>	X	X	X	X	X	<=	X	X	X	X	X	X	X	X	X
20 CIRHLCASSDT - CIR Healthcare assessment date	>	<=	>	>=	>=	>=	X	X	<=	X	X	X	X	X	X	X	X	X

<sup>1</sup> The exception to this rule can be when intervention type is recovery support

<sup>2</sup> Date of birth must be at least 1 year and 1 day prior to today

<b>Key:</b>
< Prior to
> After
<= Prior to or on
>= After or on
X No verification rule



## NDTMS secure setting date verification rules matrix

**Read along the row then up the column**

		A	B	C	D	E	F	G	H	I	J	K	L	M	N
	Data Item	1902	Today	DOB <sup>2</sup>	REFLD <sup>3</sup>	TRIAGED <sup>3</sup>	HEPCTSTD	DISD	REFMODDT <sup>4</sup>	MODST <sup>4</sup>	MODEND	TOPDATE	INTRCPTD	RECPDT	EXITD
1	1902	X	^	^	^	^	^	^	^	^	^	^	^	^	^
2	Today	>	X	>	=	=	=	=	=	=	=	=	=	=	=
3	DOB - Date of birth of client <sup>2</sup>	=	^	X	^	^	^	^	^	^	^	^	^	^	^
4	REFLD - Referral date <sup>3</sup>	>	^	>	X	=	X	^	X	^	^	^	=	=	^
5	TRIAGED - Triage date <sup>3</sup>	>	^	>	=	X	X	^	X	^	^	X	=	=	^
6	HEPCTSTD - Hep C test date	>	^	>	X	X	X	X	X	X	X	X	X	X	X
7	HIVTESTDT - HIV test date	>	^	>	X	X	X	X	X	X	X	X	X	X	X
8	DISD - Discharge date	>	^	>	=	=	X	X	=	=	=	=	=	=	^
9	REFMODDT - Date referred to intervention <sup>4</sup>	>	^	>	X	X	X	^	X	=	^	X	=	=	^
10	MODST - Intervention start date <sup>4</sup>	>	^	>	=	=	X	^	=	X	^	X	=	=	^
11	MODEND - Intervention end date	>	^	>	=	=	X	^	=	=	X	X	=	=	^
12	TOPDATE - TOP/ YPOR date	>	^	>	=	=	X	^	X	X	X	X	=	X	^
13	INTRCPTD - Initial reception date	>	^	>	^	^	X	^	^	^	^	^	X	^	^
14	RECPDT - Reception date	>	^	>	^	^	X	^	^	^	^	X	=	X	^
15	EXITD - Exit date	>	^	>	=	=	X	=	=	=	=	=	=	=	X

<sup>2</sup> Date of birth must be at least 1 year and 1 day prior to today

<sup>3</sup> For secure setting treatment services REFLD, if populated, must be the same as the 'triage date' (TRIAGED)

<sup>4</sup> For secure setting treatment services REFMODDT, if populated, must be the same as the 'intervention start date' (MODST)

**Key:**

< Prior to

> After

<= Prior to or on

= Equal to

>= After or on

X No verification rule

## Implementation of core dataset changes

Core dataset changes are specified as changes to the schema and as changes to the reference data, which are the code sets used within the schema.

Dataset changes should only be applied to client records that are active at the time of the dataset change. These changes should not be applied retrospectively to client records that do not meet these criteria. This applies to both schema and reference data code sets.

For those data items that may change throughout the treatment episode (as defined in the business definitions as “may change”), the reference data values in operation at the time of the change should be used.

The table below outlines each item within the reference data and for each item, displays the ‘trigger’ date for implementation of new reference datasets. Any changes to the reference data should be ‘triggered’ where the associated date is on or after the implementation date of the current core dataset (for CDS-Q 1st April 2022). For example, within CDS-P, changes to the ‘Hepatitis C status’ should be applied to any record where the discharge date is greater than or equal to 01/04/2020.

## AD dataset

All client and episode fields use the TRIAGED as the validation trigger date, with the following exceptions:

Field Header	Entity	Validation trigger date
DAT	Episode	Validated at date record saved – updateable
LA	Episode	Validated at date record saved – updateable
UTLA	Episode	Validated at date record saved - updateable
LTLA	Episode	Validated at date record saved – updateable
PC	Episode	Validated at date record saved – updateable
DISD	Episode	DISD
DISRSN	Episode	DISD

All intervention fields use the MODST as the validation trigger date, with the following exception:

Field Header	Entity	Validation trigger date
MODEND	Intervention	MODEND

All Sub Intervention Review (SIR) fields use the SUBMODDT as the validation trigger date.

All Outcome (TOP/) fields use the TOPDATE as the validation trigger date.

All Client Information Review (CIR) fields use the CIRDT as the validation trigger date.

## YP dataset

All client and episode fields use the TRIAGED as the validation trigger date, with the following exceptions:

Field Header	Entity	Validation trigger date
DAT	Episode	Validated at date record saved - updateable
LA	Episode	Validated at date record saved - updateable
UTLA	Episode	Validated at date record saved - updateable
LTLA	Episode	Validated at date record saved - updateable
PC	Episode	Validated at date record saved - updateable
YPSSTICH	Episode	Validated at date record saved - updateable
DISD	Episode	DISD
DISRSN	Episode	DISD
YPECAREP	Episode	DISD
YPCSNM	Episode	DISD

All intervention fields use the MODST as the validation trigger date, with the following exceptions:

Field Header	Entity	Validation trigger date
MODEND	Intervention	MODEND

All Sub Intervention Review (SIR) fields use the SUBMODDT as the validation trigger date.

All Outcome (YPOR) fields use the TOPDATE as the validation trigger date.

All Client Information Review (CIR) fields use the CIRDT as the validation trigger date.

## SA dataset

All client and episode fields use the TRIAGED as the validation trigger date, with the following exceptions:

Field Header	Entity	Validation trigger date
DAT	Episode	Validated at date record saved - updateable
UTLA	Episode	Validated at date record saved - updateable
PC	Episode	Validated at date record saved - updateable
HEPBSTAT	Episode	Validated at date record saved - updateable
HEPCSTAT	Episode	Validated at date record saved - updateable
HEPCTSTD	Episode	Validated at date record saved - updateable
NPSUSE	Episode	DISD
DISD	Episode	DISD
DISRSN	Episode	DISD
LIVSCRN	Episode	EXITD

Field Header	Entity	Validation trigger date
MHTXEXIT	Episode	EXITD
SENTENCED	Episode	EXITD
THNALOX	Episode	EXITD
REFHEPCTX	Episode	EXITD
RECONNECT	Episode	EXITD
HOMELESSEXI	Episode	EXITD
EXITD	Episode	EXITD
EXITRSN	Episode	EXITD
EXITDEST	Episode	EXITD
RTOAGNCY	Episode	EXITD

All intervention fields use the MODST as the validation trigger date, with the following exceptions:

Field Header	Entity	Validation trigger date
MODEND	Intervention	MODEND

All Outcome (TOP) fields use the TOPDATE as the validation trigger date.

## SY dataset

All client and episode fields use the TRIAGED as the validation trigger date, with the following exceptions:

Field Header	Entity	Validation trigger date
DAT	Episode	Validated at date record saved - updateable
UTLA	Episode	Validated at date record saved - updateable
PC	Episode	Validated at date record saved - updateable

<b>Field Header</b>	<b>Entity</b>	<b>Validation trigger date</b>
HEPBSTAT	Episode	Validated at date record saved - updateable
HEPCSTAT	Episode	Validated at date record saved - updateable
DISD	Episode	DISD
DISRSN	Episode	DISD
RECONNECT	Episode	EXITD
HOMELESSEXI	Episode	EXITD
EXITD	Episode	EXITD
EXITRSN	Episode	EXITD
EXITDEST	Episode	EXITD
RTOAGENCY	Episode	EXITD

All intervention fields use the MODST as the validation trigger date, with the following exceptions:

<b>Field Header</b>	<b>Entity</b>	<b>Validation trigger date</b>
MODEND	Intervention	MODEND

All Outcome (YPOR) fields use the TOPDATE as the validation trigger date.

## 8. Revision history

Version	Author	Change
16.3	A Rimell	<p>Updates made since V16.2</p> <p>Format of the document changed to Department of Health and Social Care (DHSC) standard.</p> <p>Changes to text to reflect the transition of NDTMS from Public Health England (PHE) to the Office of Health Improvement and Disparities (OHID).</p> <p>Minor corrections to the text and updates to hyperlinks. General updates to improve accessibility.</p>

Version	Author	Change														
16.2	W Richardson	Updates made since V16.1														
		Text updates to field descriptions														
		<table><tr><td>Field header</td><td>AD</td><td>YP</td><td>SA</td><td>SY</td><td>From</td><td>To</td></tr><tr><td>MODAL</td><td>x</td><td>x</td><td></td><td></td><td>IPS Work and Health Programme</td><td>IPS (Individual Placement &amp; Support)</td></tr></table>	Field header	AD	YP	SA	SY	From	To	MODAL	x	x			IPS Work and Health Programme	IPS (Individual Placement & Support)
		Field header	AD	YP	SA	SY	From	To								
MODAL	x	x			IPS Work and Health Programme	IPS (Individual Placement & Support)										
BINGEDRINK – changed layout from A(1) to C(2)																

Version	Author	Change
16.1	P Brand	<p>Updates made since V16.0</p> <p>RECONNECT – rule 28 added</p> <p>HOMELESSEXIT – rule 28 added</p> <p>Rule 28 – text update to add ‘(secure adult only for RECONNECT)’</p>

Version	Author	Purpose/reason						
16.0	H Smith	<p>Amendments since V15.1</p> <p>Changes being introduced as part of dataset change to CDS Q. Column numbers updated throughout document Date sequence diagrams updated Trigger date information updated Some IPS fields being incorporated into the main NDTMS dataset. IPS trial no longer applicable.</p> <p>Remove fields (dataset being removed from)</p> <table><tr><th>Field header</th><th>Description</th><th>AD</th><th>YP</th><th>SA</th><th>SY</th></tr></table>	Field header	Description	AD	YP	SA	SY
Field header	Description	AD	YP	SA	SY			

Version	Author	Purpose/reason				
		ACCMNEED	Accommodation need (only being removed for AD - remaining for YP,SY so field header should remain in all files)	x		
		YPESTI	Has the YP been offered a screen for sexually transmitted infections?		x	
		YPSCCH	Has the YP been offered a screen specifically for chlamydia?		x	
		YPEBABDA	YP ever been affected by domestic abuse?		x	x
		RECDOMV	Has there been facilitation to domestic abuse/violence support?	x		
		CIRYPESTI	CIR Has the YP been offered a screen for sexually transmitted infections?		x	
		CIRYPSCCH	Has the YP been offered a screen specifically for chlamydia?		x	
		TRSTAGE	Treatment stage	x	x	x
		DAYSVOLN	Days in volunteering	x		x
		UPDWORK	Days in unpaid structured work placement	x		x
		Removal of fields for IPS pilot sites only				
		Field header	Description	Dataset removed from		
		IPSNHSNUM	NHS Number	AD (previously part of IPS pilot only)		
		IPSQPDT	IPS profile date	AD (previously part of IPS pilot only)		
		IPSQPID	IPS Profile ID	AD (previously part of IPS pilot only)		
		IPSDTQDRG	IPS Dependency type questionnaire	AD (previously part of IPS pilot only)		
		IPSSODSCRE	IPS Severity of dependence score	AD (previously part of IPS pilot only)		
		IPSJSSEBSC	IPS JSSE-B score	AD (previously part of IPS pilot only)		
		IPSEQ5D5L1	IPS EQ-5D-5L Dimension 1 - Mobility	AD (previously part of IPS pilot only)		



Version	Author	Purpose/reason					
		IPSEQ5D5L2	IPS EQ-5D-5L Dimension 2 – Self care	AD (previously part of IPS pilot only)			
		IPSEQ5D5L3	IPS EQ-5D-5L Dimension 3 – Usual activities	AD (previously part of IPS pilot only)			
		IPSEQ5D5L4	IPS EQ-5D-5L Dimension 4 – Pain discomfort	AD (previously part of IPS pilot only)			
		IPSEQ5D5L5	IPS EQ-5D-5L Dimension 5 – Anxiety/depression	AD (previously part of IPS pilot only)			
		IPSEQ5D5GH	IPS EQ-5D-5L Dimension 6 – General health	AD (previously part of IPS pilot only)			
		Add new fields (dataset being added to)					
		Field header	Description	AD	YP	SA	SY
		IPSCIENT	Client participating in IPS	x	x		
		IPSNINUM	National Insurance Number (IPS)	x	x		
		IPSCONSENT	Consent for IPS	x	x		
		IPSPC	Full postcode of residence (IPS)	x	x		
		HOUSING	Client’s current housing situation	x		x	
		HOMELESS	Client threatened with homelessness in the next 56 days (8 weeks)?	x	x		
		HIVTESTDT	HIV latest Test Date	x		x	
		DOMVIC	Has the client ever been the victim of domestic abuse?	x	x	x	x
		DOMPER	Has the client ever abused someone close to them?	x	x	x	x
		SEXWORK	Has the client ever received money or goods in exchange for sex?	x		x	
		CRTMHN2	Is the client receiving treatment for their mental health need(s)? (2)	x	x		
		CRTMHN3	Is the client receiving treatment for their mental health need(s)? (3)	x	x		
		YPSSTICH	Has the YP been offered a screen for sexually transmitted infections (including chlamydia)		x		

Version	Author	Purpose/reason					
		SUBPROPFT F	Proportion of face-to-face appointments with keyworker	x	x		
		RECDOMVIC	Client provided with domestic abuse support for victim/survivor?	x	x		
		RECDOMPE R	Client provided with domestic abuse support for perpetrator?	x	x		
		CIRHIVTEST DT	CIR HIV latest test date	x			
		CIRDOMVIC	CIR Has the client ever been the victim of domestic abuse?	x	x		
		CIRDOMPER	CIR Has the client ever abused someone close to them?	x	x		
		CIRHOUSIN G	CIR What is the client's current housing situation?	x			
		CIRHOMELE SS	CIR Is the client threatened with homelessness in the next 56 days (8 weeks)?	x	x		
		CIRCRTMHN 2	CIR Is the client currently receiving treatment for their mental health need(s) 2?	x	x		
		CIRCRTMHN 3	CIR Is the client currently receiving treatment for their mental health need(s) 3?	x	x		
		CIRYPSSTIC H	CIR Has the YP been offered a screen for sexually transmitted infections (including chlamydia)		x		
		RECONNEC T	Has the client been provided with Reconnect support?			x	x
		HOMELESSE XIT	Client threatened with homelessness in the 56 days (8 weeks) following exit from secure setting?			x	x
		BINGEDRINK	How often has the client had 6 or more units if female, or 8 or more if male, on a single occasion	x		x	

Version	Author	Purpose/reason																																																																																			
		<table><tr><td></td><td>in the last 28 days/28 days prior to custody?</td><td></td><td></td><td></td><td></td></tr><tr><td>VOLNPWORK</td><td>Days in volunteering or unpaid structured work placement</td><td>x</td><td></td><td>x</td><td></td></tr></table> <p>Existing fields and associated reference data being applied to new dataset type E = Existing (the field/item is already applicable to this dataset) N = New (the field/item is new to this dataset)</p> <table><tr><th>Field header</th><th>Item</th><th>AD</th><th>YP</th><th>SA</th><th>SY</th></tr><tr><td>REFLDSERV</td><td></td><td>E</td><td>N</td><td></td><td></td></tr><tr><td>RFLS</td><td>30 Children and family services</td><td>N</td><td>E</td><td></td><td></td></tr><tr><td>DISABLE1</td><td></td><td>E</td><td>N</td><td>E</td><td>N</td></tr><tr><td>DISABLE2</td><td></td><td>E</td><td>N</td><td>E</td><td>N</td></tr><tr><td>DISABLE3</td><td></td><td>E</td><td>N</td><td>E</td><td>N</td></tr></table> <p>Text updates to field descriptions</p> <table><tr><th>Field header</th><th>AD</th><th>YP</th><th>SA</th><th>SY</th><th>From</th><th>To</th></tr><tr><td>SEX</td><td>x</td><td>x</td><td>x</td><td>x</td><td>Client sex at registration of birth</td><td>Client stated sex</td></tr><tr><td>PRNTSTAT</td><td>x</td><td>x</td><td>x</td><td>x</td><td>Parental status - Do any of these children live with the client</td><td>If client has parental responsibility, do any of these children live with the client?</td></tr><tr><td>EHCS, EHCS2 &amp; EHCS3</td><td>x</td><td>x</td><td>x</td><td>x</td><td>What help are the client's children or children living with the client receiving? (1, 2 &amp; 3)</td><td>If client has parental responsibility and/or children living with them, what help are the children receiving? (1, 2 &amp; 3)</td></tr><tr><td>LIVSCRN</td><td>x</td><td></td><td>x</td><td></td><td>Referral for liver investigation</td><td>Referral for alcohol related liver disease</td></tr></table>		in the last 28 days/28 days prior to custody?					VOLNPWORK	Days in volunteering or unpaid structured work placement	x		x		Field header	Item	AD	YP	SA	SY	REFLDSERV		E	N			RFLS	30 Children and family services	N	E			DISABLE1		E	N	E	N	DISABLE2		E	N	E	N	DISABLE3		E	N	E	N	Field header	AD	YP	SA	SY	From	To	SEX	x	x	x	x	Client sex at registration of birth	Client stated sex	PRNTSTAT	x	x	x	x	Parental status - Do any of these children live with the client	If client has parental responsibility, do any of these children live with the client?	EHCS, EHCS2 & EHCS3	x	x	x	x	What help are the client's children or children living with the client receiving? (1, 2 & 3)	If client has parental responsibility and/or children living with them, what help are the children receiving? (1, 2 & 3)	LIVSCRN	x		x		Referral for liver investigation	Referral for alcohol related liver disease
	in the last 28 days/28 days prior to custody?																																																																																				
VOLNPWORK	Days in volunteering or unpaid structured work placement	x		x																																																																																	
Field header	Item	AD	YP	SA	SY																																																																																
REFLDSERV		E	N																																																																																		
RFLS	30 Children and family services	N	E																																																																																		
DISABLE1		E	N	E	N																																																																																
DISABLE2		E	N	E	N																																																																																
DISABLE3		E	N	E	N																																																																																
Field header	AD	YP	SA	SY	From	To																																																																															
SEX	x	x	x	x	Client sex at registration of birth	Client stated sex																																																																															
PRNTSTAT	x	x	x	x	Parental status - Do any of these children live with the client	If client has parental responsibility, do any of these children live with the client?																																																																															
EHCS, EHCS2 & EHCS3	x	x	x	x	What help are the client's children or children living with the client receiving? (1, 2 & 3)	If client has parental responsibility and/or children living with them, what help are the children receiving? (1, 2 & 3)																																																																															
LIVSCRN	x		x		Referral for liver investigation	Referral for alcohol related liver disease																																																																															

Version	Author	Purpose/reason						
		NPSUSE			x		Has the client used new psychoactive substances during treatment episode	Has the client used psychoactive substances during treatment episode
		LEHIGSYP		x		x	New Psychoactive substances (NPS)	Psychoactive substances (PS)
		AFULHU		x		x	Age substance first used: New Psychoactive substances (NPS)	Age substance first used: Psychoactive substances (PS)
		CIRLIVSCRN	x				CIR Referral for liver investigation	CIR Referral for alcohol related liver disease
		CIRPRTST	x	x			CIR Parental status - Do any of these children live with the client	CIR If client has parental responsibility, do any of these children live with the client?
		CIREHCSC, CIREHCSC2 & CIREHCSC3	x	x			CIR What help are the client's children or children living with the client receiving? (1, 2 & 3)	CIR If client has parental responsibility and/or children living with them, what help are the children receiving? (1, 2 & 3)
Field Layout changes – see reference data document for related code changes								
		Field header	AD	YP	SA	SY	From	To
		TOPCC	x				N(1)	A(1)
		MHTN	x	x			N(2)	A(1)
		YPSSEXEX		x		x	C(1)	A(1)
		YPSSLFHM		x		x	C(2)	A(1)
		YPABACF		x			N(1)	A(1)

Version	Author	Purpose/reason					
		YPSGP		x		x	C(2) A(1)
		YPSUSS		x		x	C(1) A(1)
		YPASMFM		x		x	N(1) A(1)
		YPECAREP		x			N(1) A(1)
		SENTENCED			x		N(1) A(1)
		THNALOX			x		N(1) A(1)
		REFHEPCTX	x		x		N(1) A(1)
		ALCUSE	x	x	x	x	C(2) N(2) Correction only
		OPIUSE	x	x	x	x	C(2) N(2) Correction only
		CRAUSE	x	x	x	x	C(2) N(2) Correction only
		COCAUSE	x	x	x	x	C(2) N(2) Correction only
		AMPHUSE	x	x	x	x	C(2) N(2) Correction only
		CANNUSE	x	x	x	x	C(2) N(2) Correction only
		OTRDRGUSE	x	x	x	x	C(2) N(2) Correction only
		TOBUSE	x		x		C(2) N(2) Correction only
		IVDRGUSE	x		x		C(2) N(2) Correction only
		PSYHSTAT	x		x		C(2) N(2) Correction only
		PWORK	x		x		C(2) N(2) Correction only
		EDUCAT	x		x		C(2) N(2) Correction only
		PHSTAT	x		x		C(2) N(2) Correction only
		QUALLIFE	x		x		C(2) N(2) Correction only
		AAUSFWK		x		x	N(2) C(2)
		LINSTUS		x		x	N(2) C(2)
		YPIVDRGU		x		x	N(2) C(2)
		PTEDAWDD		x		x	N(2) C(2)
		PTEDAWDE		x		x	N(2) C(2)
		PTEDAWED		x		x	N(2) C(2)
		PTEDAWEE		x		x	N(2) C(2)
		PTEDOYO		x		x	N(2) C(2)
		PTEUSWDD		x		x	N(2) C(2)
		PTEUSWDE		x		x	N(2) C(2)
		PTEUSWED		x		x	N(2) C(2)

Version	Author	Purpose/reason					
		PTEUSWEE		x		x	N(2)
		PTEUSOYO		x		x	N(2)
		CIRREFHEP CTX	x				N(1)
		CIRHIVSTAT	x				C(1)
		CIRMTHTN	x	x			N(2)
		New rules					
		Rule No.	Field(s) added to	Description			
		75	CIRPRTST	Must be populated if CIRPARENT is 'Y'			
		76	CIRCRTM HN	Must be populated if CIRMTHTN is 'Y' (Yes)			
		77	IPSCLIEN T, IPSCONS ENT, IPSPC, IPSNINUM	Field should only be populated for clients participating in IPS			
		78	IPSPC	The Post Outcode and the Post Incode in full postcodes should both be submitted and must be separated by a space (e.g NW7 3DJ).			
		79	IPSNINUM	IPS National Insurance Number should be made up of 2 letters, 6 numbers and a final letter e.g QQ123456A. D, F, I, Q, U, and V should not be used in the first two letters, nor should O be used as a second letter and the first two letters should not be the following combinations BG, GB, KN, NK, NT, TN and ZZ. The final letter should only ever be A, B, C or D.			
		80	CRTMHN2 , CRTMHN3 , CIRCRTM HN2 & CIRCRTM HN3	If populated, should not contain the same value as CRTMHN/CIRCRTMHN and CRTMHN/CIRCRTMHN must not be null			
		81	CRTMHN3 & CIRCRTM HN3	If populated should not contain the same value as CRTMHN2/ CIRCRTMHN2 and CRTMHN2/ CIRCRTMHN2 should not be null			
		82	CRTMHN2 &	If populated should not contain the same value as CRTMHN3/ CIRCRTMHN3			

Version	Author	Purpose/reason		
			CIRCRTM HN2	
		83	MODAL	Intervention start date can occur before triage or after discharge date if intervention type is IPS Work and Health Programme/ ADDER support/ Accelerator support/ RSDATG engagement
		Existing rules added to fields:		
		Rule No.	Added to field:	Description
		25	LIVSCRN	(Secure settings only) Field should be populated with a value if secure setting exit date (EXITD) is not null
		22	DISRSN	Field should contain a value if the episode has been closed (discharge date (DISD) is present)
		65	CIRNALO XIIS	Must be populated if CIRSTAGE is 2
		Remove rules		
		Rule No.	Field removed from	Description
		54	TRSTAGE	For secure settings treatment stage is expected to be A = treatment start

© Crown copyright 2021

[Office for Health Improvement and Disparities](#)

This publication is licensed under the terms of the Open Government Licence v3.0 except where otherwise stated. To view this licence, visit [nationalarchives.gov.uk/doc/open-government-licence/version/3](https://nationalarchives.gov.uk/doc/open-government-licence/version/3)

Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.

